



## **Observation of environmental impacts of a Birla cement factory Satna during its operation phase**

**Dinendra Vikram Bauddha<sup>1</sup>, Dr. Shobha Gupta<sup>2</sup>**

<sup>1</sup> Research Scholar, Env. Department of Biology, A.P.S. University, Rewa, Madhya Pradesh, India

<sup>2</sup> Professor Head, Department of Botany, Govt. Girls P.G. College, Satna, Madhya Pradesh, India

### **Abstract**

Environmental pollution is a very serious issue of the present world. A rapid industrialization is going on around the globe and hence all types of pollution are seen around us. Most importantly, water and air are getting highly contaminated. The construction industry is one of the leaders in deterioration of environment by depleting resources and consuming energy and creating a lot of waste. Also a considerable amount of emissions of greenhouse and acidifying gases has the origin in this industry. Cement belongs to the most often used building materials and its production is increasing over the world. At the same time, the cement industry is an enormous energy intensive industry and it produces many harmful emissions, like gases, odours and noise. An assessment of environmental impacts has been made in terms of water, air and noise pollution in a cement manufacturing plant Birla Cement plant Ghurdory Satna, Madhya Pradesh. During the study, the ambient air quality parameters like PM<sub>10</sub>, PM<sub>2.5</sub>, SO<sub>2</sub>, NO<sub>x</sub>, physio-chemical parameters of water namely pH, total hardness, total alkalinity, total dissolved solids (TDS), conductivity, total chlorides and measurement of noise levels as well as health and safety measures for the workers have been evaluated. Zero discharge approach is examined in Birla Cement factory where no liquid/solid waste is generated from the plant; which indicates that significant environmental regulations are being maintained. It is found that the industry is working according to the standards and norms defined by the Central Pollution Control Board of India.

**Keywords:** environmental impact observation, noise pollution, water pollution, air pollution, cement industry

### **1. Introduction**

India is the second largest producer of cement in the world. India's cement industry is a vital part of its economy, providing employment to more than a million people, directly or indirectly. India has a lot of potential for development in the infrastructure and construction sector and the cement sector is expected to largely benefit from it. Some of the recent major government initiatives such as development of 98 smart cities are expected to provide a major boost to the sector. A significant factor which aids the growth of this sector is the ready availability of the raw materials for making cement, such as limestone and coal.

The production of cement involves the consumption of large quantities of raw materials, energy and heat. Cement production results in the release of a significant amount of particulate matter (PM) and the gaseous emissions. The manufacturing process is very complex, involving a large number of materials (with varying material properties), pyro processing techniques (e.g. wet and dry kiln, preheating, recirculation) and fuel sources (e.g. coal, fuel oil, natural gas).

The cement industry is one of the primary producers of carbon dioxide. The main environmental issues associated with cement production are consumption of raw materials and energy use as well as emissions to air. Waste water discharge is usually limited to surface run off and cooling water only and causes no substantial contribution to water pollution. The storage and handling of fuels is a potential source of contamination of soil and ground water. Additionally, the environment can be affected by noise and odours.

### **a. Environmental Impact Assessment**

The environmental impact assessment (EIA) process is an interdisciplinary and multistep procedure to ensure that environmental considerations are included in decisions regarding projects that may impact the environment. Simply defined, the EIA process helps identify the possible environmental effects of a proposed activity and how those impacts can be mitigated.

In order to assess the adverse possible effects of a proposed project on the environment surrounding the proposed project, a detailed analysis is required to be made. This report is known as the Environmental Impact Assessment (EIA). Environmental Impact Assessment (EIA) is an important management tool for ensuring optimal use of natural resources for sustainable development.

Looking to the fast growing problem in environment, a study has been made compulsory to overcome the expected problem of any development project by which we may reduce the possible harmful effects and better risk management. Therefore, both negative and positive impacts on the environment will be considered.

### **b. Study Area: Birla Cement Plant**

Satna is in the limestone belts of India. As a result, it contributes around 8%–9% of India's total cement production. There is an abundance of dolomite and limestone in the area and the city has ten cement factories producing and exporting cement to other parts of the country. The electrical cable company Universal Cables in Satna is among the pioneers in the country. The city of Satna is known as the commercial capital of Baghelkhand.

The city is among the few most promising cities of Madhya Pradesh because of the several new industries planned by some of the reputed industrial houses in the country. The city has witnessed a sharp growth in the post-liberalization era (after 1993). Major problems faced by the city may include, inter alia: inadequate electricity, poor road conditions, and air pollution from atmospheric wastes of cement factories. Satna is known as the cement city of India. Satna is located at 24.34°N 80.49°E with an average elevation of 315 metres (1,352 feet). The location is renowned for dolomite mines and limestone.

**2. Objective of the study**

Environmental impact assessments are generally carried out before the execution of a project to assess the possible impacts on the environment including water, air, noise, wildlife, flora and fauna etc. and corrective measures are suggested so as to minimize the adverse impacts on the environment. During and after execution of the project, the governmental authorities responsible for keeping watch on the industries, regularly monitor and take action against the defaulting industries. However, sometimes, the industries do not give proper attention towards the remedial measures once the project is sanctioned, completed and is under running stage. Therefore, the objective of the present study was to assess the environmental impacts of a cement industry during its operation phase with an aim to review whether the environmental protection measures are followed or not as per the guidelines.

**3. Methodology**

To carry out the research work, standard methods for measurement of physico-chemical parameters of water, ambient air quality and noise levels were adopted. The health and safety measured were also evaluated based on observations and through a questionnaire distributed among the employees and staff of the industry.

**A. Ambient Air Quality Parameters**

The assessment of major ambient air quality parameters like PM<sub>10</sub>, PM<sub>2.5</sub>, SO<sub>2</sub> and NO<sub>x</sub> was carried out during the months August–September 2017 at four different locations within the plant site i.e. near security gate, railway gate, rack loading area and workshop. The APM 550 Fine Particulate.

Sampler was used for monitoring the fine suspended particles in ambient air conditions along with other instruments like spectrophotometer, hot air oven, glass fiber filters, impingers and electronic balance etc. The assessment was carried out as per the guidelines for ambient air quality

monitoring issued by the Central Pollution Control Board, India, 2003.

**B. Water Quality Parameters**

The assessment of physico-chemical parameters of water like pH, turbidity, hardness, total alkalinity, electrical conductivity, total dissolved solids and chlorides was carried out during the months October–November 2017 according to the Standard Methods for the Examination of Water and Wastewater; APHA, AWWA, and WEF, 21st Edition, 2005.

**C. Noise levels, health & safety measures**

The assessment of noise levels in the premises of the plant at eight different locations was carried out for five weeks with the help of Quest 199/2900 sound level meter. The assessment of health and safety measures was done by physical observation of the equipments and facilities in the premises as well as by conducting personal interviews with the employees and staff regarding their level of satisfaction towards the medical and health facilities. A questionnaire was developed to collect data in this regard.

**4. Results and discussion**

**A. Ambient Air Quality Parameters**

**Table 1:** Ambient Air Quality Measurement

S. No.	Locations	Parameters (in µg/m <sup>3</sup> )			
		PM <sub>10</sub>	PM <sub>2.5</sub>	SO <sub>2</sub>	NO <sub>x</sub>
1.	Near Security Gate	88	51	4	12
2.	Near Work shop	48	42	5	14
3.	Near Rack loading area	84	41	6	12
4.	Near Railway gate	66	40	4	13

It has been observed that the concentration of PM<sub>10</sub> for all the four locations ranges between 48 µg/m<sup>3</sup> to 88 µg/m<sup>3</sup> whereas the concentration of PM<sub>2.5</sub> for all the locations ranges between 40 µg/m<sup>3</sup> to 51 µg/m<sup>3</sup>. As far as the gaseous pollutants SO<sub>2</sub> and NO<sub>x</sub> are concerned, the promulgated CPCB limits of 80 µg/m<sup>3</sup> for industrial, residential and rural areas has never surpassed at any locations. The SO<sub>2</sub> concentrations are in the range of 4 µg/m<sup>3</sup> to 6 µg/m<sup>3</sup> and the NO<sub>x</sub> concentration in the range of 12 µg/m<sup>3</sup> to 14 µg/m<sup>3</sup> for all the locations. Hence, we can see that air quality found here is under safe limits. The obtained values of PM<sub>10</sub>, PM<sub>2.5</sub>, SO<sub>2</sub> and NO<sub>x</sub> are within permissible limits as prescribed by the CPCB, India for ambient air quality. The table 2 shows the national ambient air quality standards according to the CPCB, India.

**Table 2:** *et al* National Ambient Air Quality Standards (As per CPCB, India)

S. No.	Pollutant	Time weighted average	Concentration in Ambient Air	
			Industrial area, Residential rural & other areas	Ecologically sensitive area (Notified by Central Govt.)
1.	Sulphur Dioxide (SO <sub>2</sub> ), µg/m <sup>3</sup>	Annual Average 24 hours	50 80	20 80
2.	Oxides of Nitrogen as NO <sub>x</sub> , µg/m <sup>3</sup>	Annual Average 24 hours	40 80	30 80
3.	Particulate Matter (size less than 10µm) or PM <sub>10</sub> ,	Annual Average 24 hours	60 100	60 100

	$\mu\text{g}/\text{m}^3$			
4.	Particulate Matter (size less than 2.5 $\mu\text{m}$ ) or $\text{PM}_{2.5}, \mu\text{g}/\text{m}^3$	Annual Average 24 hours	40 60	40 60

## B. Water Quality Parameters

It can be observed from the table 3 given below that the physical and chemical parameters of water collected from different locations around the cement plant are within the permissible limits as prescribed by the Indian Standards and

only exceed at two locations which are within the plant. This water is recycled within the plant and not used for drinking purposes or disposal on land etc., so it has no harmful impacts on the environment.

**Table 3:** Assessment of Water Quality Parameters

S. No.	Parameters	Water sampling stations					Standard Limits as per IS:10500
		Plant site	Mine site	S1	S2	S3	
1.	pH (at 25°C)	7.9	7.86	7.24	7.46	7.4	6.5 to 8.5
2.	Turbidity (NTU)	2	2	1	1	1	5
3.	Conductivity ( $\mu\text{Siemens}/\text{cm}$ )	1093	1072	798	636	354	-
4.	Total Hardness as $\text{CaCO}_3$ (mg/l)	242.60	230.62	151.50	152.25	144.70	300
5.	Alkalinity as $\text{CaCO}_3$ , (mg/l)	293.92	280.05	176.10	188.98	128.96	200
6.	Chloride as Cl (mg/l)	223.93	232.94	155.65	142.55	158.90	250
7.	Total Dissolved Solids (mg/l)	994	955.2	413.4	356.5	214.6	500

## C. Noise Level Parameters

**Table 4:** Measurement of Noise Levels in the Cement Plant (in dBA)

Area/ Location	Week 1	Week 2	Week 3	Week 4	Week 5
Main Gate	70	72	71	70	70
Compressor House	83	82	84	81	85
Raw Mill Section	71	72	73	73	74
Coal Mill	73	72	74	75	73
Kiln area	70	71	71	73	73
Cooler fans	75	74	76	78	80
Cement Ball Mill	73	72	75	73	74
Packing plant	70	72	73	72	71

Ambient noise levels were measured at eight locations in and around the project site. It has been observed that noise levels vary from 70 to 85 Leq dB(A) during day time, which is within the prescribed limits as prescribed by the CPCB, India i.e. 75dBA for daytime and 70dBA for night time. Due to operation of machinery, there is likelihood of some increase in noise. It was noticed that proper noise abatement measures have been taken and persons working just close to machines are provided with personal protective equipments viz. ear plugs/ear muffs etc.

## D. Health and safety measures

It was observed that provisions for fire extinguishers, emergency kits including ladder, fire helmet, gloves, mask, hydrant box key and first aid box, smoke detectors and regular health checkup system for all workers and training programs for different health and safety consideration are being made in the plant. The outcome of a questionnaire and personal interviews revealed that most of the employees, workers and staff members are satisfied with the arrangements made for their health and safety purposes.

## 5. Conclusions

The study carried out for assessing environmental impacts of Birla Cement Factory during its operation phase revealed that harmful gases and substances were not found in the ambient air during the study period. Important air quality

parameters like  $\text{PM}_{10}$ ,  $\text{PM}_{2.5}$ ,  $\text{SO}_2$  and  $\text{NO}_x$  were within the permissible limits. The water used in the chemical processes is recycled / reused in the plant and hence no wastewater is discharged from the industrial activity and there was no significant environmental impact on the nearby ground water quality. Noise level was permissible at most of the locations in the industry premises and tolerable at other places, within the permissible limits. It was noticed that all necessary health and safety measures were being taken care of at the industry site and workers/employees were satisfied with the provisions made.

In nutshell, we can conclude that the Birla Cement Factory is not causing any significant environmental impacts on the ecology of the area, as adequate preventive measures are being adopted to contain the various pollutants within permissible limits. Green belt development around the area has also been taken up as an effective pollution mitigation technique, as well as to control the pollutants released from the premises of Birla Cement Factory.

## 6. Acknowledgement

Authors are thankful to authority of Environmental Biology Deptt. of A.P.S. University, Rewa (M.P.) India for providing facilities to carry out this work.

## 6. References

- Dhoble, Yogesh Nathuji. Environmental Impact Assessment of Cement Industry - A Short Note, available at, 2013, <http://dx.doi.org/10.2139/ssrn.2234380>.
- Drinking Water Specification. IS 10500: 2012. Bureau of Indian Standards, 2012.
- Guidelines for Ambient Air Quality Monitoring. National Ambient Air Quality Monitoring Series, Central Pollution Control Board, Ministry of Environment and Forest, India, 2003.
- Ilalokhoi PO, *et al.* Environmental Impact Assessment of a Proposed Cement Plant in Southwestern Nigeria, IOSR Journal of Environmental Science, Toxicology And Food Technology (IOSRJESTFT). 2013; 3(5):83-99.

5. Kabir G, Madugu AI. Assessment of Environmental impact on air quality by cement industry and mitigation measures: a case study. *Environmental Monitoring and Assessment*. 2010; 160:91. doi: 10.1007/s10661-008-0660-4, Springer.
6. Sinha S. Environmental impact assessment: an effective management tool. *TERI Information Monitor on Environmental Science*. 1998; 3(1):1-7.
7. *Standard Methods for the Examination of Water and Wastewater*; APHA, AWWA, and WEF, 21st Edition, 2005.